SIRONA INSTRUMENTS PREMIUM, COMFORT AND ECONOMY

THREE CLASSES, ONE CLAIM: ONLY THE BEST INTO YOUR HANDS.







Titan, the exclusive materialAs the only manufacturer in the dental field worldwide, we are using super-plastic titanium forming technology in our instruments' manufacturing process. With this unique combination of process and material, we succeeded in producing instruments resulting to be amongst the lightest in their class.

SIRONA INSTRU-MENTS - UNIQUE IN EVERY CLASS.

As a dental surgeon, you know good results highly depend on your knowledge and manual skills. For a perfect performance however, the right instruments also play an important part: only if your instruments are lightweighting in the hand and can be handled without efforts, you will achieve precise results. With Sirona's three classes of quiet instruments we consistently pursue this claim. Regardless the class you opt for: you get innovative state-of-the-art products, which you will enjoy working with. Enjoy every day. With Sirona.







WE ONLY PUT THE BEST INTO YOUR HANDS.

T1 — ERGONOMICS IS ONLY EFFECTIVE IF YOU DON'T NOTICE IT.
Ergonomic and durable: Sirona Premium instruments lie perfectly within your hand and thus guarantee lasting precise results.



STRAIGHT AND CONTR



The high-quality straight and contra-angle handpiece series of the T1 LINE convince with ergonomic design and behave light as a feather, thanks to its titanium sleeves. This guarantees fatigue-free working and precise results. You stay flexible with the ISO interface, regardless of the treatment unit you are using.

- Universal ISO interface
- O Ergonomic and light titanium sleeves
- O DLC coated ball bearings
- O Unbelievably quiet thanks to the 4-nozzle spray
- Optimal view thanks to small head dimensions
- Optimal spray system
- O ISOslider® for motors with and without illumination
- 3 years guarantee
- Optimal illumination for great visibility during treatments
- O Perfect hygiene: can be sterilised and heat disinfected



Unbelievably quiet: T1 LINE with the new 4-nozzle spray.

T1 LINE - TECHNICAL DATA OVERVIEW:



Types		Gear ratio/ reduction	Speeds	Head diameter (mm)	Head height (mm)	Equipment	REF.	
T1 LINE C 200 L	₩	•	1:5	Up to approx. 200.000	Approx. 8.7	Approx. 14.6	Dia. 1.6 FG	33 28 452
T1 LINE C 200 L mini	₩	•	1:5	Up to approx. 200.000	Approx. 8.7	Approx. 13.4	Dia. 1.6 FG	60 06 303
T1 LINE C 40 L	‡	•	1:1	Up to approx. 40.000	Approx. 8.7	Approx. 12.4	Dia. 2.35 WB	33 28 437
T1 LINE C 6 L	₩	•	6:1	Up to approx. 6.000	Approx. 8.7	Approx. 12.4	Dia. 2.35 WB	33 28 429
T1 LINE C 1.6 L	₩	•	24:1	Up to approx. 1.600	Approx. 8.7	Approx. 12.4	Dia. 2.35 WB	33 28 411
T1 LINE H 40 L	‡	•	1:1	Up to approx. 40.000	-	-	Dia. 2.35 HB/WB	60 31 277

 $Contra-angle\ handpiece, red\ 1:5\ standard\ with\ 4-nozzle\ spray/mini\ with\ 1-nozzle\ spray,\ contra-angle\ handpieces,\ blue\ 1:1\ and\ green\ 6:1/24:1\ with\ 1-nozzle\ spray,\ straight\ handpiece,\ blue\ 1:1\ with\ 1-nozzle\ spray.$

A-ANGLE HANDPIECES.



T2 LINE is the robust straight and contra-angle handpiece series of the Comfort Class. This is where the Sirona quality and know-how come together providing this unique product range. With its functionality and reliability, you will be able to concentrate wholeheartedly on treating the patient.

- Universal ISO interface
- O Pleasant and easy to grip thanks to its titanium sleeves
- O Unbelievably quiet thanks to the 4-nozzle spray
- Optimal view thanks to small head dimensions
- Optimal spray system
- O ISOslider® for motors with and without illumination
- 2 years guarantee
- Optimal illumination for great visibility during treatments
- O Perfect hygiene: can be sterilised and heat disinfected



With T2 LINE you benefit from the flexible ISO interface and the quiet 4-nozzle spray.

T2 LINE - TECHNICAL DATA OVERVIEW:



Types		Gear ratio/ reduction	Speeds	Head diameter (mm)	Head height (mm)	Equipment	REF.
T2 LINE A 200 L	•	1:5	Up to approx. 200.000	Approx. 9.7	Approx. 14.8	Dia. 1.6 FG	63 76 177
T2 LINE A 40 L	•	1:1	Up to approx. 40.000	Approx. 9.7	Approx. 13.2	Dia. 2.35 WB	63 76 185
T2 LINE A 6 L	•	6:1	Up to approx. 6.000	Approx. 9.7	Approx. 13.2	Dia. 2.35 WB	63 76 193
T2 LINE AH 40 L	•	1:1	Up to approx. 40.000	-	_	Dia. 2.35 HB/WB	63 76 201

Contra-angle handpiece, red 1:5 with 4-nozzle spray, contra-angle handpieces, blue 1:1 and green 6:1 with 1-nozzle spray, straight handpiece, blue 1:1 with 1-nozzle spray.



T3 LINE is the long-term option from the Economy Class. The instruments with their extremely robust titanium sleeves are sturdy and an investment that will give you joy for years to come.

- Universal ISO interface
- O Extremely robust titanium sleeves
- O Unbelievably quiet thanks to the 4-nozzle spray
- Optimal view thanks to small head dimensions
- Optimal spray system
- O Perfect hygiene: can be sterilised and heat disinfected



Noise-free comfort: T3 LINE with the quiet 4-nozzle spray.

T3 LINE - TECHNICAL DATA OVERVIEW:

Types		Gear ratio/ reduction	Speeds	Head diameter (mm)	Head height (mm)	Equipment	REF.
T3 LINE E 200	•	1:5	Up to approx. 200,000	Approx. 9.7	Approx. 14.8	Dia. 1.6 FG	63 92 679
T3 LINE E 40	•	1:1	Up to approx. 40,000	Approx. 9.7	Approx. 13.2	Dia. 2.35 WB	63 92 687
T3 LINE E 6	•	6:1	Up to approx. 6,000	Approx. 9.7	Approx. 13.2	Dia. 2.35 WB	63 92 695
T3 LINE EH 40	•	1:1	Up to approx. 40,000	-	-	Dia. 2.35 HB/WB	63 92 711

Contra-angle handpiece, red 1:5 with 4-nozzle spray, contra-angle handpieces, blue 1:1 and green 6:1 with 1-nozzle spray.

SPECIAL CONTRA-ANGLE HANDPIECES.

THE RIGHT ATTACHMENT FOR EVERY TASK.

The Sirona Premium Class offers an extensive special contra-angle handpieces portfolio. You find a fitting solution for every task without fail.



PROPHY For prophylaxis

This contra-angle handpiece enables brilliant polishing of teeth and material surfaces in connection with brushes and caps.



EVA U4 L/11 L For micropreparations

Due to the great flexibility of the file adjustment, this contra-angle handpiece is especially good for polishing and removing composite residues and for smoothing root surfaces.



ENDO L For endodontics

The 2-in-1 root canal preparation principle is based on the concept of offering a single contra-angle handpiece that enables efficient utilization of both manually and machine driven files. This ultimately means more freedom and economy.



CONDENS For amalgam fillings

Using this contra-angle handpiece in connection with DENTATUS AVA tips, amalgam fillings can be condensed outstandingly.

T1 LINE SPECIAL CONTRA-ANGLE HANDPIECES — TECHNICAL DATA OVERVIEW:

Types		Gear ratio/ reduction	Speeds/ action	Equipment	T1 LINE REF.
PROPHY	☼	2.4:1	Approx. 5,000	Snap-on & Screw-in	18 94 901
EVA 04 L	☼	-	Stroke 0.4 mm	-	33 29 260
EVA 11 L	₩	-	Stroke 1.1 mm	-	41 77 015
ENDO L	₩	-	Movement ± 30°	Shaft Dia. 3.6–4.0/Adapter Dia. 2.35	58 69 552
CONDENS	₩	-	Approx. 12,000	_	18 94 737

T2 – QUALITY IS EASY TO GRASP, WHEN YOU HAVE SIRONA IN YOUR HAND. Functional and reliable: Sirona Comfort instruments convince especially due to their high quality of grip and robust workmanship.

T3 - STABILITY ONLY PAYS OFF IN THE LONG TERM.

Stable and economical: Economy instruments from Sirona are of the highest quality and pay for themselves time and time again.



DENTAL TURBINES: THE POWER OF SILENCE.

The extensive portfolio of Sirona turbines offers dental turbines for every possible wish. All the turbines have one thing in common: complete operating control at maximum output — and quieter than ever. Simply choose your favourites within the Premium, Comfort and Economy range according to your personal preferences and method of working.

THE NEW GENERATION OF TURBINES:

POWERFUL

Significantly more power with smaller head size compared to previous turbines

CONTROLLED

High torque at a constant level ensures considerably higher operating smoothness

OUIFT

The 4-nozzle spray reduces the noise level and increases comfort for the patient and practitioner

DENTAL TURBINES.



The Premium Class turbines lie perfectly balanced in your hand. Whether you choose T1 CONTROL, T1 Boost or T1 mini, all the turbines shine with their high performance, give you total control at all times and are very quiet.

- Ergonomic lightweight titanium sleeves
- O CONTROL function: continuous operation at low noise level
- O DLC coated ceramic ball bearings
- Optimal illumination for great visibility during treatments
- O Protective-Head-System (PHS) with dual anti-retraction stop
- O Perfect hygiene: can be sterilised and heat disinfected
- O Click&Go: The fast change to Sirona

4 hole standard connection with light, spray regulation, and with anti-retraction stop



The 4-nozzle spray makes the T1 turbines the quietest in their class.



exhaust of drive air

41 74 467

T1 TURBINES - TECHNICAL DATA OVERVIEW:

Туреѕ		Power (W)	Head (mm)	diameter)	Head height	ı	Weight (g)		Non-load speed (min ⁻¹)	
T1 CONTROL ☆		Up to 22	Appro	ox. 12.4	Approx. 13.8		Approx. 56		Approx. 250,000	
T1 Boost		Up to 23	Appro	ox. 11.9	Approx. 13.0)	Approx. 55		Approx. 370,000	
T1 mini ⇔		Up to 20	Approx. 10.2		Approx. 12.7	ox. 12.7 Approx. 54			Approx. 400,000	
Types/REF.		Sirona connection		KaVo connection		W&H con	nection		NSK connection	
T1 CONTROL		63 86 598		63 86 754		63 86 770			63 86 812	
T1 Boost		63 86 606		63 86 911		63 86 929			63 86 937	
T1 mini		63 86 630	63 86 994			63 87 00	63 87 000		63 87 018	
Sirona quick coup	ling/REI	F.		R, units with		R (LED),	units with		F, units without	

exhaust of drive air

63 19 706

exhaust of drive air

18 94 588

DENTAL TURBINES.



T2 TURBINES - QUALITY YOU CAN RELY ON.



You can rely on our Comfort Class turbines for any situation. This is ensured by the continuous high performance, the ergonomic shape together with the titanium-coated exterior sleeve, as well as the robust workmanship of our turbines.

- Excellent grip thanks to the titanium-coated exterior sleeve
- O CONTROL function: continuous operation at low noise level
- O Robust ceramic ball bearings
- Optimal illumination for great visibility during treatments
- O Protective-Head-System (PHS) with dual anti-retraction stop
- O Perfect hygiene: can be sterilised and heat disinfected
- O Click&Go: The fast change to Sirona



Low noise level: T2 turbines with 4-nozzle spray

T2 TURBINES - TECHNICAL DATA OVERVIEW:



Types	Power (W)	Head (mm)	diameter	Head height (mm)		Weight (g)		Non-load speed (min ⁻¹)	
T2 CONTROL	Up to 22	Approx. 12.4		Approx. 13.8		Approx. 57		Approx. 250,000	
T2 Boost ☼	Up to 23	Approx. 11.9		Approx. 13.0		Approx. 56		Approx. 370,000	
T2 mini	Up to 20	Approx. 10.2 Approx. 12.7 Approx. 55			Approx. 400,000				
Types/REF.	Sirona connection	Sirona connection		KaVo connection		W&H connection		SK connection	
T2 CONTROL	63 86 648		63 87 737		63 87 752		63	63 87 760	
T2 Boost	63 86 655		63 87 778		63 87 786		63	63 87 794	
T2 mini	cs or ccs		C2 07 002	(2.07.010		1	C,	0.07.020	

12 CONTROL 63 86 64	48	63 87 737	63 87 752	63 87 760
T2 Boost 63 86 65	55	63 87 778	63 87 786	63 87 794
T2 mini 63 86 66	63	63 87 802	63 87 810	63 87 828
Sirona quick coupling/REF.		R, units with exhaust of drive air	R (LED), units with exhaust of drive air	F, units without exhaust of drive air
4 hole standard connection with lig		18 94 588	63 19 706	41 74 467



The titanium-coated turbines of the Economy Class are easy to clean and have a good grip. Up to 23 watts of power and ceramic ball bearings ensure efficient work for a long time. In other words: lasting efficiency.

- O Easy to clean titanium surface
- Good grip
- O Durable ceramic ball bearings
- O Protective-Head-System (PHS) with dual anti-retraction stop
- O Perfect hygiene: can be sterilised and heat disinfected
- O Click&Go: The fast change to Sirona



 $Extremely\ quiet: T3\ turbines\ with\ 4-nozzle\ spray$

T3 TURBINES - TECHNICAL DATA OVERVIEW:



Types		Power (W)	Head (mm)	diameter	Head height (mm)		Weight (g)		Non-load speed (min ⁻¹)	
T3 Boost		Up to 23	Approx	x. 11.9	Approx. 13.0		Approx. 56		Approx. 370,000	
T3 mini		Up to 20	Approx. 10.2 Approx. 12.7 Approx. 5		Approx. 55		Approx. 400,000			
Types/REF.		Sirona connection		KaVo connection		W&H con	W&H connection		NSK connection*	
T3 Boost		63 87 919		63 87 927 63		63 87 935			63 87 943	
T3 mini		63 87 950		63 87 968		63 87 976	ì		63 87 984	
Sirona quick coupling/REF.						B, units without exhaust of drive air				
4 hole standard connection without light, without spray regulation and with anti-retraction stop						58 61 724				

^{*} NSK QD-J $^{\circ}$ = registered trademark of the NSK company.

T1/T2 CONTROL — THE POWER LIES IN CONSISTENCY.

Less is more. The patented CONTROL function ensures one-of-a-kind torque and continuous powerful preparation. With constant high torque at a speed of 250,00 rpm, Sirona shows that the power of a turbine in no way depends on the pure rotation speed. You can drill quickly — without stopping to pick up speed again — that way you save valuable work time.



HYGIENE AND MORE.

DAC UNIVERSAL.

The DAC UNIVERSAL combination autoclave cleans, lubricates and sterilizes turbines, handpieces and contra-angle pieces from numerous manufacturers in one fully automatic process at the touch of a button. In this way, you can relieve the work load on your team, save consumables and prolong the service life of your instruments.

- Absolutely safe
- Very clean
- Remarkably fast



DAC UNIVERSAL - TECHNICAL DATA OVERVIEW:

Types	Equipment	Power consumption	Water quality	Width/depth/height opened	Compressed air connection
DAC UNIVERSAL	DAC UNIVERSAL	1.1 kW	De-mineralised or distilled water (< 3 µS)	37 cm/38 cm/53 cm	5 to 8 bar

SIROInspect.

For a safe caries checkup. The SIROInspect with FACE® technology reliably prevents secondary caries. Fluorescent light indicates all carious areas right away and on a large scale. So you can make a professional decision — if and where there really still is a need for dental excavation. So all you need to do is drill where the bacteria actually are.

- Safe
- Fast
- Simple



SIROInspect - SCOPE OF DELIVERY:

Tunos	Equipment
Types	Equipment
SIROInspect	(Incl. probe, battery charger with power adapter, 2 rechargeable batteries, 2 fibre optic sources 90°-sterilizable, 2 clip on filters)

ALWAYS AT THE FOREFRONT OF **INNOVATION!**

As global innovation leader for dental equipment, we continuously invest in research and thus in the future of modern dentistry. By networking digital technologies with integrated solutions and optimizing the treatment workflow, we create improved treatment results, more comfort and safety for the patient as well as time and cost savings in everyday work. The combination of constant innovative power and globally growing sales and service structures makes Sirona the global market leader trusted by thousands of practices and labs around the world. Enjoy every day. With Sirona.



CAD/CAM systems From pioneer to new stan-

dard. For almost 30 years we have been developing digital dentistry and creating new possibilities for the future practice and lab.



Imaging systems

Best image quality with the lowest dose. More than 100 years of developing x-rays for the dental practice make us the number 1 innovation partner.

Treatment centers

The business card of modern practices. We are striving to create the ideal ergonomic and innovative center. Individually tailored to the well-being and demands of the patient and dentist.

Instruments

Advantages that speak for themselves. We make sure that we provide the right balance of proven quality, individual ergonomics and innovative technology for user-friendly work.

Hygiene systems

Competence that gives you safety. When it comes to hygiene in the practice, we do not take any shortcuts.